

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 1 of 8

Section 1: Products and manufacturer identification

1.1 Products identification

Name: Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Trade name: «POLYROLE MATTE»

1.2 Types of use of chemical products and non-recommended or prohibited uses

Ready-to-use product for cleaning and protecting plastic and vinyl in the car interior. It has an antistatic effect. Do not apply to door hinges and glass.

1.3 Manufacturer / supplier company identification

Limited liability company "Joint German-Ukrainian Enterprise "DrakenBerg"

Code: 42281913, Ukraine, 29016, Khmelnytskyi region, Khmelnytskyi, Yurii Kozlovsky Street, 7/1.

tel.: +380671111421 director Kushal Denys Viktorovych;

e-mail: export.drakenberg@gmail.com; web: drakenberg.com.ua

1.4 Emergency phone numbers

101 (Ukraine)

+380971445330 technologist Kravets Ihor Petrovych

Section 2: Hazard identification

2.1 Mixture classification

Causes serious eye irritation 2, H319

2.2 Marking elements

Hazard pictograms:



GHS07

Signal word: WARNING

Indication of hazards:

H319: Causes serious eye irritation

Cautions:

P264 Wash your hands thoroughly with soap and water after handling the product.

P280 Put on protective gloves.

P305 + P351 + P338 IN CASE OF EYE CONTACT: Rinse gently with water for several minutes. Remove contact lenses, if used and easily removable. Continue rinsing.

P337 + P313 If eye irritation persists: Get a medical examination.

Additional Information:

EUH210 -Safety data sheet of chemical products can be obtained upon request.

EUH401 - Follow the instructions for safe use to avoid risks to human health and the environment.

2.3 Other dangers:

Compliance with PBT and vPvB criteria - does not meet PBT and vPvB criteria.

Does not contain destroyers of the endocrine system, in the amount of $\geq 0,1$ %

Does not contain substances in nanoforms in accordance with the Regulation (EC) No 2020/878.

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 2 of 8

Section 3: Composition / information about components

3.1 Substance:

Not applicable

3.2 Mixture:

Hazardous components are listed below

Chemical name (IUPAC)	EC #	CAS #	Concentration, %	Classification (CLP/GHS)	Reach reg #
tridecanoethoxylate	500-241-6	69011-36-5	0,5-1,0	Acute toxicity 4, H302 Eye damage1, H318 Skin irritation 2, H315 Aquatic chronic toxicity 3, H412	01- 211997636 2- 32-xxxx

For a full decoding of H-phrases, see Section 16.

Section 4: First aid measures

4.1 Description of first aid measures

In case of inhalation: provide the victim with access to fresh air and rest.

In case of skin contact: rinse the skin with plenty of water. If irritation persists, consult a dermatologist.

In case of contact with eyes: immediately rinse eyes thoroughly with plenty of water; remove contact lenses if present, then continue rinsing for 10-15 minutes. Consult an ophthalmologist.

If swallowed: rinse mouth, drink 200-300 ml of water with activated charcoal. Induce vomiting. If necessary, consult a doctor and show him/her the label of this container.

4.2 The most important acute and delayed symptoms and consequences

In case of inhalation: may cause irritation of the respiratory tract, sore throat.

In case of skin contact: skin redness, irritation.

In case of contact with eyes: irritation, redness of the eyes, tearing.

If swallowed: burning in the mouth, nausea, pain in the esophagus and abdomen, weakness.

4.3 Instructions on the need for first aid

There is no additional information about special first aid measures.

Section 5: Fire safety measures

5.1 Fire extinguishing means

Flammable properties: The product does not burn, but the polymer packaging can be involved in a fire.

Appropriate fire extinguishing agents: Apply fire extinguishing measures according to environmental conditions. Sprayed water, CO₂ foam, dry chemical powder, sand.

Inappropriate fire extinguishing agents: do not use a direct water stream on burning materials.

5.2 Special hazards that may be caused by the substance

Hazardous combustion products: carbon oxides.

Special protective equipment for fire-fighters: Use a complete set of protective clothing and breathing apparatus required for the specific fire area. Wear eye protection.

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 3 of 8

5.3 Recommendations for firefighters

Use standard firefighting equipment such as self-contained breathing apparatus and full protective equipment. Use filters for organic vapors. Spilled product creates a slippery surface. Do not allow fire extinguishing water to enter sewers or water sources. Dispose of contaminated fire extinguishing water in accordance with national regulations. Extinguish the fire from a sufficient distance, observing standard precautions.

Section 6: Measures to eliminate emergency release

6.1 Personal safety measures, protective equipment and procedure for emergency situations

6.1.1 For general staff

Wear personal protective equipment for eyes and skin. Avoid contact with eyes and skin. Cover with non-combustible material - absorbent, collect, place in a container, hand over for disposal. Wash the spill site with plenty of water and detergent. Spilled product forms a slippery surface.

6.1.2 For emergency response personnel

Wear personal eye and skin protection. Stop or limit the leakage at the source, if safe to do so. Evacuate personnel to a safe area. Restrict access to the spill area until cleanup is complete. Repair the leak if it can be done safely. Eliminate all sources of ignition. Ensure that cleanup is carried out by qualified personnel only.

Small scatters: cover with an absorbent (vermiculite, sand, earth), collect in a container for further disposal.

Large scatters: Fence off spills with an earthen berm. Cover with non-combustible material - absorbent, pump out the liquid, collect, place in a container, hand over for disposal. Dispose of the product according to the rules specified in Section 13.

6.2 Measures to ensure environmental protection

Do not allow the product to enter sewers, rivers, waterways, and other bodies of water or soil. Stop further leakage or spillage if safe to do so. Save the flushing water and dispose of it.

6.3 Methods and materials for cleaning and neutralization

Covering of sewage. Absorbent non-combustible material, water. Place in containers for disposal. Ventilate the affected area. Wash slippery surfaces remaining after cleaning the product with water and detergent.

6.4 References to other sections

See Section 8 for information on personal safety precautions.

See Section 13 for information on waste disposal.

Розділ 7: Handling and storage

7.1 Precautions for safe handling

Use only for the intended purpose. Do not allow aerosols to form. Wear rubber gloves when handling the product and avoid contact with eyes. Spilled product causes an increased risk of slipping.

Fire prevention: Keep away from heat sources and open flames, out of sunlight.

7.2 Conditions for safe storage, including any incompatibilities

Store at a temperature of +5°C to +30°C and relative humidity up to 80% at a distance of at least 1 m from heating devices. Store only in the manufacturer's container, separately from food and drinking water, animal feed. Keep the container tightly closed. Guaranteed shelf life is 12 months from the date of manufacture, subject to storage conditions.

Incompatibility with substances: none.

Hazardous decomposition products: carbon oxides during thermal decomposition.

7.3 Specific end uses

No data available

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 4 of 8

Section 8: Hazardous exposure controls and personal protective equipment

8.1 Control parameters

In the air of the working area:

DNEL tridecanoethoxylate (CAS 69011-36-5) = 294 mg/m³ (systemic)

8.2 Impact control

8.2.1 Appropriate technical control

Ventilation of working areas, local exhaust systems. Observe general hygiene measures when working with chemicals. Do not eat, drink or smoke while working. Do not allow to enter water bodies and soil.

8.2.2 Personal protective equipment

Protection of the respiratory tract: Does not require

Eye protection: avoid contact with eyes, wear safety glasses in accordance with European standard EN 166.

Skin protection: Protective gloves made of butyl rubber, nitrile rubber (according to European standard EN 420). The choice of suitable gloves is determined not only by the material, but also by other qualitative features, which differ significantly among different manufacturers. When choosing gloves, take into account the data of penetration and time of destruction specified by the manufacturer.

Section 9: Physico-chemical properties

9.1 Information on basic physicochemical properties

State:	homogeneous liquid of white color or the color of the used dye
Smell:	of specific raw materials or flavoring used
Threshold of smell:	not defined
pH of 1.0% aqueous solution:	6-7
Melting/freezing point:	0°C
Boiling point or temperature range:	100°C
Flash point:	no data available
Intensity of evaporation:	depends on the temperature
Flammability indicators:	non-flammable liquid
Upper and/or lower ignition limits or explosiveness:	no data available
Vapour pressure:	no data available
Vapour density:	no data available
Relative density:	1.00-1.01 g/cm ³ , at a temperature of (20±1)°C
Solubility in water:	unlimited
The n-octanol/water partition coefficient:	no data available
Auto-ignition temperature:	no data available
Decomposition temperature:	> 120°C
Viscosity:	from 200 to 400 sP
Explosive properties:	not explosive product

9.2 Other information:

There are currently no additional data from available sources

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 5 of 8

Section 10: Stability and reactivity

10.1 Reactivity

According to section 10.3

10.2 Chemical stability

The product is stable under the conditions of storage and transportation.

10.3 The possibility of dangerous reactions

Does not polymerize. With proper use, dangerous reactions do not occur.

10.4 Conditions to avoid

Heating, direct sunlight, freezing.

10.5 Incompatible materials:

Not known.

10.6 Hazardous decomposition products:

With proper storage and use, it is not known. For the silicone component present in the product, measurements showed that at a temperature above approximately 150°C, a small amount of formaldehyde is split off due to oxidative decomposition.

Section 11: Toxicological information

11.1 Information on toxicological effects

Mixture:

Eye irritation 2

The available data do not give grounds to assume the occurrence of an acute toxic effect as a result of a single oral exposure. The available data do not give reason to assume the occurrence of an acute toxic effect due to a single dermal exposure.

Acute oral toxicity: LD₅₀ (rats) > 2000 mg/kg

Acute dermal toxicity: LD₅₀ (rats) > 2000 mg/kg

Does not irritate the skin of rabbits.

Mutagenicity:

no genotoxic properties were detected

Carcinogenicity:

no carcinogenic effect was detected

Reproductive toxicity:

not detected

Chronic toxicity:

not detected

Teratogenicity:

no teratogenic effects were detected

Cumulative effect:

poor

Specific effects on target organs:

not detected

Tridecаноlethoxylate (CAS 69011-36-5):

Acute oral toxicity: ATE = 500 mg/kg (rats)

Acute inhalation toxicity: ATE = 11 mg/l (vapor inhalation 4 hours, human)

Section 12: Information on environmental impact

12.1 Toxicity to the environment

The mixture is not classified as hazardous to the aquatic environment. Based on current experience, no adverse effects should be expected in wastewater treatment plants.

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 6 of 8

Toxicity to aquatic organisms:

Acute toxicity to fish: $CL_{50} > 100$ mg/l (Danio rerio, 96 hours, dynamic);

Acute toxicity for Daphnia: $EC_{50} > 100$ mg/l (Daphnia magna, 48 hours)

Sediment (during wastewater treatment): $EC_{50} > 1000$ mg/l

Tridecanoethoxylate (CAS 69011-36-5):

Acute toxicity to fish: $CL_{50} = 1-10$ mg/l (96 hours, Leuciscus idus);

Acute toxicity to aquatic invertebrates: $EC_{50} = 1-10$ mg/l (Aquatic invertebrates, 48 hours);

Acute toxicity to algae: $EC_{50} = 1-10$ mg/l (72 hours).

Toxicity to terrestrial organisms:

No information about the product.

12.2 Stability and ability to decompose

The product is biodegradable

Tridecanoethoxylate (CAS 69011-36-5): 82% decomposition - 28 days.

The n-octanol/water partition coefficient $K_{ow} = 4,9$

BCF = 232,5

BOD 5 value: 4.9 mg O_2 /g of substance

COD value 481 mg O_2 /g of substance

Silicone content: elimination by adsorption on activated sludge; not biodegradable.

12.3 Bioaccumulative potential

No negative impact is expected.

12.4 Mobility in soil

No negative impact is expected.

12.5 PBT and vPvB assessment results

The product does not meet the PBT and vPvB criteria.

12.5 Other adverse effects

Not known

Section 13: Waste disposal information

13.1 Waste management methods

Dispose of in accordance with local regulations. According to the European Industrial Waste Catalogue, the rules and regulations for waste disposal are not defined for the product, but for the type of use.

The rules and regulations for waste disposal should be established by the consumer, preferably with mutual agreement with the industrial waste management company.

Product: Any residual product, which cannot be used as intended, are sent for disposal to a processing enterprise that has a license of the Ministry of Environmental Protection of Ukraine to carry out this type of work. The spilled product is collected using absorbent material in a separate container. Prevent the product from draining into drains and water sources. State Act of Ukraine - the Law of Ukraine "On Waste Management".

Contaminated packaging:

Containers with contaminated adsorbent are disposed of in accordance with waste management standards. Containers that are not contaminated with the substance can be recycled. For container cleaning: water, alkaline cleaning agents. Containers and product residues are destroyed in accordance with the requirements of the current state legislation.

Waste disposal code: Detergents 7710.3.1.23 (Ukraine) Observe the safety precautions in Section 8 during disposal.

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 7 of 8

Section 14: Transportation information

The product is transported by road (ADR), rail (RID)

14.1 UN number: not classified

14.2 Proper transport name: not classified

14.3 Transport hazard class: not classified

14.4 Packing group: III

14.5 Dangers to the environment

The mixture is not classified as hazardous to the aquatic environment.

For more information, see in Section 12.

14.6 Special precautions for the user

General measures for safe transportation must be observed

14.7 Transportation in bulk in accordance with Annex II to MARPOL 73/78 and the MSC Code

Not applicable.

Section 15: Regulatory information

15.1 Normative and legal acts on ensuring protection of human health and the environment

Occupational health, safety and environmental regulations/laws applicable to this mixture or substances. Law of Ukraine "On Waste Management".

15.2 Chemical safety assessment:

It is not necessary to conduct a chemical safety assessment.

Section 16: Other information

Corresponding P-, H-, EUH-phrases:

H302: Harmful if swallowed

H315: Causes skin irritation

H318: Causes serious eye damage

H319: Causes serious eye irritation

H412: Harmful to aquatic life with long lasting effects

Warning:

P264 Wash your hands thoroughly with soap and water after handling.

P280 Wear protective gloves

P305 + P351 + P338 IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P337 + P313 If eye irritation persists: Get medical advice/attention.

EUH210 - Safety data sheet available on request.

EUH401 - To avoid risks to human health and the environment, comply with the instructions for use.

Abbreviations and acronyms:

ADR The European agreement on the international carriage of dangerous goods by road

RID The European Regulation on the International Carriage of Dangerous Goods by Rail

PBT Persistent bioaccumulative toxic substance

SAFETY DATA SHEET

According to the Regulation (EC) No 1907/2006 and the Regulation (EC) No 1272/2008 (CLP)
DSTU GOST 30333:2009

Polychrom 2020 Matte plastic and vinyl polish "POLYROLE MATTE"

Date: 13.06.2023

Version: 1.0

Supersedes the version: -

Page 8 of 8

vPvB	(very) Persistent, (very) Bioaccumulative and/or Toxic substance
CAS	Chemical Abstracts Service
IUPAC	international Union of Pure and Applied Chemistry (an international union of theoretical and applied chemistry)
EC	European Community
CLP	Classification, Labelling and Packaging
REACH	Registration, Evaluation and Authorisation of Chemicals
EC ₅₀	Effective concentration occurring in 50% of experimental animals
LC ₅₀	Concentration causing death of 50% of experimental animals
K _{ow}	The n-octanol/water partition coefficient
DNEL	The obtained level of effect absence
BOD	Biochemical Oxygen Demand
COD	Chemical Oxygen Demand
BCF	Bioconcentration Factor
ATE	Acute Toxicity Estimate

Training instructions:

During the production and use of the product, it is necessary to regularly train personnel on protective measures and handling of hazardous substances.

Additional Information:

Packaging: plastic container, packaging from 0.5 l to 5.0 l; poured to order.

The data contained in the safety data sheet are based on the amount of information and experience available to the manufacturer at the time. The consumer of the product is responsible for the consequences of its use for specific purposes. The information relates to this particular mixture. It may not be valid if this mixture is used in conjunction with any other materials or any other process.

Basic literature references and data sources:

Internal research reports

The Hazardous Substances Data Bank (HSDB)

ECHA database of registered substances

TU U 20.4-44243293-001:2021 Car care products. Technical specifications